© 2022 Northwestern Medicine

Order Oral COVID-19 Antiviral Medications

Expected Go Live Date	May 5, 2022
Impacted Locations	Outpatient Departments
Intended Audience	Clinicians

This tip sheet outlines the steps necessary to order oral COVID-19 antiviral medications.

Order Oral COVID-19 Antiviral Medications

- 1. Navigate to the SmartSets activity.
- 2. Search/select the Covid Oral Treatments SmartSet.

🗄 SmartSet Sea	arch			– 🗆 X
covid		۹.		Browse All SmartSets
E SmartS	ets			Search SmartSets by user
		Name	User Version Name	Туре
E .	ē	SARS-CoV-2-NAT POC ORDER		SmartSet
8	ē	Comprehensive COVID Center - Cardiology		SmartSet
8	<u>þ</u>	Comprehensive COVID Center - Endocrinology		SmartSet
8	<u>ē</u>	Comprehensive COVID Center - Hematology/Oncology		SmartSet
E.	ē	Comprehensive COVID Center - Infectious Disease		SmartSet
E	ē	Comprehensive COVID Center - Nephrology		SmartSet
8	ē	Comprehensive COVID Center - Neurology		SmartSet
8	<u>ē</u>	Comprehensive COVID Center - PMR		SmartSet
E.	ē	Comprehensive COVID Center - Pulmonology		SmartSet
E	ē	Comprehensive COVID Center - Rheumatology		SmartSet
E	ø	Comprehensive COVID Center - Social Work		SmartSet
H	ē	Comprehensive COVID Center Testing		SmartSet
E .	þ	Convalescent Plasma for COVID-19		SmartSet
8	þ	Covid Oral Treatments		SmartSet
B	Q	COVID-19 Inpatient Orders		SmartSet
H	þ	ED Covid-19 Discharge Orders		SmartSet
H	þ	ED Covid-19 Discharge Orders	Covid Discharge orders	SmartSet
E	þ	COVID CLEARANCE ORDER SMARTSET		SmartSet
B	Q	COVID VACCINE GENERIC FIRST DOSE ORDER 16+		SmartSet
H	þ	COVID-19 Testing		SmartSet
E .	þ	NM HP COVID ACC REFERRAL		SmartSet
8	þ	NM ICC D/C COVID 19 LABS		SmartSet
-				
				Accent Young
				✓ Accept ▲ Cancel

- 3. Select the Accept button.
- Select the Open SmartSets button. The Covid Oral Treatments SmartSet opens.
 The Covid Oral Treatments SmartSet displays the available treatment options for the patient.
 Note the verbiage under the Covid Treatment Suggestions section stating only one therapy

should be selected.

Covid Oral Treatments 🖋 Manage User Versions 🔹 🛸
▼ Covid Oral Treatments
Please select ONLY one of the therapies below. - NM ASP Outpatient Covid Therapy Guidance - Liverpool Covid-19 Interaction Checker - Pharmacies
▼ Covid Oral Med - Paxlovid Standard Dose - eGFR/CrCl >= 60
nirmatrelvir-ritonavir 300 mg (150 mg x 2)-100 mg Tablet IF renally dosed to 2 tablets per dose, alter the daily blister card to remove unneeded nirmatrelvir tablets
Covid Oral Med - Renally Adjusted Dose Paxlovid - eGFR/CrCl 30-59
nirmatrelvir-ritonavir tablet IF renally dosed to 2 tablets per dose, alter the daily blister card to remove unneeded nirmatrelvir tablets, Starting 5/5/22
Covid Oral Med - molnupiravir
molnupiravir 200 mg capsule
 Please select the appropriate Fact Sheet
▼ Fact Sheets and Additional Pt Instructions
PAXLOVID EUA FACT SHEET
MOLNUPIRAVIR EUA FACT SHEET
Notice of limited quantities
▼ Covid-19 Dx
▼ Covid-19 Diagnosis
Clinical diagnosis of COVID-19 [U07.1]
▼ Ad-hoc Orders
♀ Search
You can search for an order by typing in the header of this section.

NOTE: Within the Covid Treatment Suggestions section of the SmartSet, there is a NM ASP Outpatient Covid Therapy Guidance link. This information can also be accessed via the pathway Epic > External Websites > Antimicrobial Stewardship Program. To easily access this external website, select the wrench button on the Hyperspace Toolbar to customize toolbar buttons.



5. Select the checkbox for the appropriate medication for the patient. The Order Composer opens.





6. Move through the order questions, documenting as appropriate for the patient.

🗹 molnupiravir 200 mg cap	ssule		
	✓Accept × Cancel		
Reference Links:	1. Fact Sheet for Healthcare Providers 2. PPE Hazard Assessment 3. Site Specific Manipulation Protocol		
Product:	MOLNUPIRAVIR 200 MG ORAL CAP		
Sig Method:	Specify Dose, Route, Frequency Taper/Ramp Combination Dosage		
Dose:	800 mg		
	Prescribed Dose: 800 mg Prescribed Amount: 4 capsule		
Route:	Oral 🔎		
Frequency:	2 TIMES DAILY		
Duration:	S 🔄 Doses Days		
	Starting: 5/5/2022 🛗 Ending: 5/10/2022 🗇		
Dispense:	Days/Fill: Full (S Days) 30 Days 90 Days		
	Quantily: 40 capsule Refil: 0 30 90		
	Total Supply: 5 Days		
Mark long-term:	□ MOLNUPIRAVIR		
Patient Sig:	Take 4 capsules by mouth in the morning and 4 capsules before bedtime. Do all this for 5 days. Indications: COVID-19 (emergency use authorization)		
	+ Add additional information to the patient sig		
Class:	Erprescribe // E-prescribe // E-pres		
Note to Pharmacy:			
Indications			
indicatoris.			
	Indications (Free Text):		
I confirm that patient hat	is symptom onset within previous 5 days and meets high-risk criteria to receive Molnupiravir. Yes		
I confirm that I have cou	inseled the patient on potential risk of fetal harm with this medication and recommended use of reliable non-hormonal contraception DURING treatment AND FOR 90 DAYS FOLLOWING completion of this medication course (if applicable).		
1	Yes N/A		

- 7. Select the Accept button.
- 8. Select the checkbox for the appropriate fact sheet.



9. Select the Sign button.

